

OUTDOOR

BIMBA


designed by
FERNANDO MARTÍNEZ

BIMBA allows the combination of one or two cord colours as standard, offering great flexibility to adapt to different styles and compositions. Available as both a ceiling lamp and a pendant, its design highlights the polyethylene diffuser, which softens the light and ensures optimal performance in outdoor environments.

BIMBA permite la combinación de uno o dos colores de cuerda de manera estándar, ofreciendo gran flexibilidad para adaptarse a distintos estilos y combinaciones. Disponible en plafón y en colgante, su diseño da protagonismo al difusor de polietileno que suaviza la luz y garantiza un rendimiento adecuado en exteriores.



BIMBA
REF. ODIP30801/80



SUSPENSION / COLGANTE
IP66

MATERIAL

Metal and recycled cord / Metal y cuerda reciclada

FINISHES / ACABADOS

Canopy and neoprene cable / Florón y cable neopreno:

Black / Negro

Lampshade structure / Estructura pantalla:

Black / Negra

Cord / Cuerda:

Choose one or two outdoor cord colors /

Elegir uno o dos acabados de cuerda exterior


Polyethylene diffuser / Difusor polietileno:

Matt opal / Opal mate

INSTALLATION / INSTALACIÓN

1 x E27 LED max. 15W Ø6cm

BIMBA
REF. ODIP30811/80



CEILING LAMP / PLAFÓN
IP66

MATERIAL

Metal and recycled cord / Metal y cuerda reciclada

FINISHES / ACABADOS

Rod and base / Tija y base:

Black or white / Negro o blanco

Lampshade structure / Estructura pantalla:

Black / Negra

Cord / Cuerda:

Choose one or two outdoor cord colors /

Elegir uno o dos acabados de cuerda exterior

Polyethylene diffuser / Difusor polietileno:

Matt opal / Opal mate

INSTALLATION / INSTALACIÓN

1 x E27 LED max. 15W Ø6cm



Outdoor cord finishes

Polypropylene cord with protection against UV rays and other weather conditions, making it suitable for outdoor use. It is certified to ISO 105-B02 for colour fastness to weathering.

Acabados cuerda exterior

Cuerda de polipropileno con protección a los rayos UV y a otros agentes climáticos que la hacen apta para uso exterior. Cuenta con la certificación ISO 105-B02 respecto a la solidez del color a la intemperie.



Topo 677
Pantone 465C



Duna 694
Pantone 16-1326



Ambar 864
Pantone 18-1148



Chocolate 693
Pantone 19-1214



Garden 872
Pantone 16-0228



Musgo 179
Pantone 19-5320



Navy 245
Pantone 19-4024



Grafito 692
Pantone 19-0508

Pantone color is illustrative / El color Pantone es orientativo

olé